

STATE OF HAWAII  
STATE PROCUREMENT OFFICE  
HONOLULU, HAWAII

Legal Ad Date: May 15, 1998

INVITATION FOR BIDS

NO. IFB-98-186-OMHK

SEALED BIDS

FOR

FURNISHING AND DELIVERING

Various Sports Wagons and  
Compact Sports Utility Vehicles

For

Department of Land and Natural Resources

will be received up to and opened at 2:00 P.M. (HST)

on

May 29, 1998

in the State Procurement Office, Kalanimoku Building, 1151 Punchbowl  
Street, Room 416, Honolulu, Hawaii 96813.

Questions relating to this bid solicitation may be directed to  
Alvin Washiashi at (808) 586-0571 or facsimile (808) 586-0570.

---

ROBERT J. GOVERNS, CPPB  
Procurement Officer

Various Sports Wagons and  
Compact Sports Utility Vehicles for  
Department of Land and Natural Resources  
IFB-98-186-OMHK

Procurement Officer  
State Procurement Office  
State of Hawaii  
Honolulu, Hawaii 96813

Dear Sir:

The undersigned has carefully read and understands the terms and conditions specified in the Specifications and Special Provisions attached hereto, and in the General Terms and Conditions dated September 1, 1995 by reference made a part hereof and available upon request; and hereby submits the following offer to perform the work specified herein, all in accordance with the true intent and meaning thereof.

The undersigned further understands and agrees that by submitting this offer, 1) he/she is declaring his/her offer is not in violation of Chapter 84, Hawaii Revised Statutes, concerning prohibited State contracts, and 2) he/she is certifying that the price(s) submitted was (were) independently arrived at without collusion.

Date: \_\_\_\_\_

Respectfully submitted,

Telephone No.: \_\_\_\_\_

\_\_\_\_\_  
Exact Legal Name of Offeror

Fax No.: \_\_\_\_\_

Payment address, if other than  
Street address at right:

\_\_\_\_\_  
Authorized Signature (Original)

\_\_\_\_\_  
Title

\_\_\_\_\_  
Street Address

Hawaii General Excise Tax Lic.  
I.D. No.: \_\_\_\_\_

\_\_\_\_\_  
City, State, Zip Code

Social Sec. or Federal I.D. No.: \_\_\_\_\_

If offeror shown above is a "dba" or a "division" of a corporation, furnish the exact legal name of the corporation under which the contract, if awarded, will be executed:

\_\_\_\_\_  
Offeror is: \_\_\_\_ Individual \_\_\_\_ Partnership \_\_\_\_ Corporation \_\_\_\_ Joint Venture

State of incorporation: Hawaii \_\_\_\_ \*Other \_\_\_\_\_

\*If "other", is corporate seal available in Hawaii? \_\_\_\_ Yes \_\_\_\_ No

HAWAII

**HAWAII (con't)**

**Item 3: Division of Conservation and Resource Enforcement (DOCARE)**

Three (3) only, new latest production, Sport Wagons, Full Size, 4-Wheel Drive, Heavy Duty, as specified herein:

Year\_\_\_\_\_

Manufacturer\_\_\_\_\_

Make & Model No.\_\_\_\_\_

a. Transmission type: M, A, or L\_\_\_\_\_

b. Number of Speeds \_\_\_\_\_

c. Engine Size: Number Of liters & cylinders\_\_\_\_\_

Other accessories:

a. Make & model of winch\_\_\_\_\_

Towing capacity\_\_\_\_\_

b. Make & model of winch\_\_\_\_\_

Towing capacity\_\_\_\_\_

**Total Bid Price, Item 3:** \$\_\_\_\_\_x3= \$\_\_\_\_\_  
Unit Bid Price

Less Trade-In:

1984 Chevy Blazer Lic. # SH-8126 (-) \$(\_\_\_\_\_)

**Total Net Bid Price, Item 3:** \$\_\_\_\_\_

**Item 4: Division of State Parks**

One (1) only, new latest production, Sport Wagon, Full Size, 4-Wheel Drive, as specified herein:

Year\_\_\_\_\_

Manufacturer\_\_\_\_\_

Make & Model No.\_\_\_\_\_

a. Transmission type: M, A, or L\_\_\_\_\_

b. Number of Speeds:\_\_\_\_\_

c. Engine Size: Number Of liters & Cylinders\_\_\_\_\_

**Total Bid Price, Item 4:** \$\_\_\_\_\_

**Offeror**\_\_\_\_\_

ISLAND: MAUI

**Item 5: Division of Conservation & Resource Enforcement (DOCARE)**

Three (3) only, new latest production, Sport Wagon, Full Size,  
4-Wheel Drive as specified herein:

Year \_\_\_\_\_

Manufacturer \_\_\_\_\_

Make & Model No. \_\_\_\_\_

a. Transmission type: M, A, or L \_\_\_\_\_

b. Number of Speeds \_\_\_\_\_

c. Engine Size: Number of liters & cylinders \_\_\_\_\_

Other accessories:

a. Make & model of hitch \_\_\_\_\_

Towing Capacity \_\_\_\_\_

b. Make & model of Winch \_\_\_\_\_

Towing capacity \_\_\_\_\_

**Total Bid Price, Item 5:** \$ \_\_\_\_\_ x3= \$ \_\_\_\_\_  
Unit Bid Price

Less Trade-In:

1985 Chevy Lic # SH-7087 (-) \$( \_\_\_\_\_ )

**Total Net Bid Price, Item 5:** \$ \_\_\_\_\_

Offeror \_\_\_\_\_

ISLAND: KAUAI

ITEM 6: Division of Conservation & Resource Enforcement (DOCARE)

Two (2) only, new latest production, Sport Wagons, Full Size 4-Wheel Drive, as specified herein:

Year \_\_\_\_\_

Manufacturer \_\_\_\_\_

Make & Model No. \_\_\_\_\_

a. Transmission type: M, A, or L \_\_\_\_\_

b. Number of Speeds: \_\_\_\_\_

c. Engine Size: Number of liters & cylinders \_\_\_\_\_

Other accessories:

a. Make & model of Hitch \_\_\_\_\_

Towing Capacity \_\_\_\_\_

b. Make & model of Winch \_\_\_\_\_

Towing Capacity \_\_\_\_\_

Total Bid Price, Item 6: \$ \_\_\_\_\_ x 2 = \$ \_\_\_\_\_  
Unit Bid Price

Less Trade-In:

1989 GMC Sportswagon Lic SH 4347 (-) \$( \_\_\_\_\_ )

Total Net Bid Price, Item 6: \$ \_\_\_\_\_

Offeror \_\_\_\_\_

ISLAND: OAHU

**Item 7: Land Division**

Two (2) only, new latest production, Compact Sport Utility, 4-Wheel Drive, as specified herein:

Year \_\_\_\_\_

Manufacturer \_\_\_\_\_

Make & Model No. \_\_\_\_\_

a. Transmission type: M, A, or L \_\_\_\_\_

b. Number of Speeds: \_\_\_\_\_

c. Engine Size: Number of liters & cylinders \_\_\_\_\_

**Total Bid Price, Item 7: \$ \_\_\_\_\_ x 2 = \$ \_\_\_\_\_**  
**Unit Bid Price**

**Item 8: Division of Conservation and Resource Enforcement (DOCARE)**

Five (5) only, new latest production, Sport Wagons, Full Size, 4-Wheel, Heavy Duty, as specified herein:

Year \_\_\_\_\_

Manufacturer \_\_\_\_\_

Make & Model No. \_\_\_\_\_

a. Transmission type: M, A, or L \_\_\_\_\_

b. Number of Speeds: \_\_\_\_\_

c. Engine Size: Number of liters & cylinders \_\_\_\_\_

Other accessories:

a. Make & model of hitch \_\_\_\_\_

Towing Capacity \_\_\_\_\_

b. Make & model of Winch \_\_\_\_\_

Towing Capacity \_\_\_\_\_

**Total Bid Price, Item 8: \$ \_\_\_\_\_ x 5 = \$ \_\_\_\_\_**  
**Unit Bid Price**

**Less Trade-in:**

1987 Chevy Lic. # SH-4297 (-) \$( \_\_\_\_\_ )

1986 Ford Lic. # SH-8127 (-) \$( \_\_\_\_\_ )

**Total Net Bid Price, Item 8: \$ \_\_\_\_\_**

Offeror \_\_\_\_\_

Island: Oahu (con't.)

**Item 9: Division of Conservation and Resource Enforcement (DOCARE)**

One (1) only, new latest production, Compact Sport Utility, 4-Wheel  
as specified herein:

Year\_\_\_\_\_

Manufacturer\_\_\_\_\_

Make & Model No.\_\_\_\_\_

a. Transmission type: M, A, or L\_\_\_\_\_

b. Number of Speeds:\_\_\_\_\_

c. Engine Size: Number Of liters & Cylinders\_\_\_\_\_

**Total Bid Price, Item 9:** \$\_\_\_\_\_

Offeror\_\_\_\_\_



Vehicles shall be delivered as follows within 120 calendar days from official commencement date on the Notice To Proceed.

	<u>Delivery Address</u>	<u>Invoicing Address</u>
<b>HAWAII</b>		
<b>Item 1:</b>	DLNR Land Division 75 Aupuni Street Hilo, Hawaii 96720 Attn: Eric Tanaka Ph: (808)974-6210 Fax: (808)974-6222	DLNR Land Division P.O. Box 373 Honolulu, Hawaii 96809 Attn: Alyson Yim Ph: (808)587-0259
<b>Item 2:</b>	DLNR Aquatics Division 75 Aupuni Street Rm 330 Hilo, Hawaii 96720 Attn: Dr Robert Fujimoto Ph: (808) 974-6201	DLNR Aquatics Division 1151 Punchbowl Street Honolulu, Hawaii 96813 Attn: Brian Kanenaka Ph: 587-0092
<b>Item 3:</b>	DLNR DOCARE 75 Aupuni Street Hilo, Hawaii 96720 Attn: Lawrence Terlap Ph: (808)974-6207 Fax: (808)974-6222	DLNR DOCARE P.O. Box 936 Hilo, Hawaii 96720 Attn: Lawrence Terlap Ph: (808)974-6207 Fax: (808)974-6222
<b>Item 4:</b>	DLNR Division of State Parks 75 Aupuni Street Hilo, Hawaii 96720 Attn: Alan Takeya Ph: (808)974-6205	DLNR Division of State Parks P.O. Box 621 Honolulu, Hawaii 96809 Attn: Martha Yent Ph: (808)587-0287
<b>MAUI</b>		
<b>Item 5:</b>	DLNR DOCARE 54 S High Street, Rm 101 Wailuku, Hawaii 96793 Attn: Keith K. Keau Ph: (808) 984-8110	Same as Delivery Address

Offeror \_\_\_\_\_

Delivery Address

Invoicing Address

**KAUAI**

**Item 6:** DLNR  
DOCARE  
3060 Eiwa Street  
Lihue, Hawaii 96766  
Attn: Manuel Andrade  
Ph: (808) 274-3521

Same as Delivery Address

**OAHU**

**Item 7:** DLNR  
Land Division  
1151 Punchbowl Street, Rm 221  
Honolulu, Hawaii 96813  
Attn: Sterling Yong  
Ph: 587-0248

DLNR  
Land Division  
P.O. Box 373  
Honolulu, Hawaii 96809  
Attn: Alyson Yim  
Ph: 587-0259

**Item 8:** DLNR  
DOCARE  
1151 Punchbowl Street, Rm 311  
Honolulu, Hawaii 96813  
Attn: Michael N. Lapilio  
Ph: 587-0074

Same as Delivery Address

**Item 9:** DLNR  
DOCARE-Hunter Education Program  
1130 N. Nimitz Hwy Suite b-299  
Honolulu, Hawaii 96817  
Attn: Wendall Kam  
Ph: 587-0200

Same as Delivery Address

Offeror \_\_\_\_\_

**Service & Repair Facility on island of Hawaii:**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Contact: \_\_\_\_\_  
Bidder's State License No. \_\_\_\_\_

**Service & Repair Facility on island of Maui:**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Contact: \_\_\_\_\_  
Bidder's State License No. \_\_\_\_\_

**Service & Repair Facility on island of Kauai:**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Contact: \_\_\_\_\_  
Bidder's State License No. \_\_\_\_\_

**Service & Repair Facility on island of Oahu:**

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Contact: \_\_\_\_\_  
Bidder's State License No. \_\_\_\_\_

Offeror \_\_\_\_\_

## GENERAL SPECIFICATIONS

In addition to detailed specifications herein, the following requirements shall form a part of these specifications:

- a. Vehicle offered shall include any other standard features not listed but detailed in manufacturer's brochures and deemed necessary for the proper and safe operation of vehicle.
- b. Manufacturer's standard warranty of 36 months or 36,000 miles from the date the vehicle is placed in service whichever occurs first. Full coverage shall include cost of parts, labor and any other expenses incurred in performing warranty work. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty.
- c. Contractor shall provide a copy of the owner-operator manual and service/repair manual at the time vehicle is delivered.
- d. Vehicle shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicle shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and New Motor Vehicle Engines, Environmental Protection Agency.
- e. Vehicle shall be completely serviced and in full operational condition upon delivery.
- f. Accessory equipment installed on the vehicle shall be fully guaranteed by the Contractor against defects resulting from the use of defective or inferior materials or from neglect workmanship or against all design and manufacturing defects. Warranty period shall begin from the date equipment is placed in service and shall be for a minimum period of one (1) year or for the period guaranteed by the manufacturer, whichever is longer except for after market rustproofing which will be for a minimum five (5) years, unlimited mileage requirement warranty. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty procedures. Contractor shall replace or repair defective material and/or workmanship at no cost to the State for parts and labor during the warranty period, provided such defects are not due to abuse or negligence on the part of the State.
- g. All equipment offered shall meet ANSI and OSHA safety requirements, and any other Federal or State safety requirements. If applicable or when requested, equipment shall bear a label or written documentation indicating approval of safety requirements from a bonafide testing laboratory.

# MINIMUM SPECIFICATIONS

Item 1  
DNLRL, Land Division  
Hawaii

SPORT WAGON, FULL SIZE (HEAVY DUTY), 4-WHEEL DRIVE

- |     |                 |                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | Model           | -Latest production of Ford Expedition, Chevy Tahoe, Jeep Cherokee or equal                                                                                                                                                                                                                                                                                                          |
| 2.  | Type            | -4 Wheel Drive                                                                                                                                                                                                                                                                                                                                                                      |
| 3.  | G.V.W. Rating   | -6200 lb. Minimum capacity                                                                                                                                                                                                                                                                                                                                                          |
| 4.  | Wheelbase       | -111 inches minimum                                                                                                                                                                                                                                                                                                                                                                 |
| 5.  | Engine          | -8 cylinders, 5.4 liter minimum<br>-Gasoline powered<br>-Factory heavy duty cooling system                                                                                                                                                                                                                                                                                          |
| 6.  | Transmission    | -Automatic 4 speed overdrive minimum<br>-Heavy duty transmission cooling system                                                                                                                                                                                                                                                                                                     |
| 7.  | Transfer Case   | -2 speed minimum, part time 4 wheel drive                                                                                                                                                                                                                                                                                                                                           |
| 8.  | Body (Interior) | -Front bucket seats with center console<br>-Full width rear folding bench seat<br>-Manufactured standard upholstery of vinyl material<br>-Floor mats rubber type front & rear<br>-Factory gauge package with tachometer<br>-AM/FM radio with digital clock<br>-Factory tinted windows all around<br>-Tilt steering<br>-Auxiliary 12 volt power outlets<br>-Factory air conditioning |
|     | (Exterior)      | -4 Door model<br>-Lift glass drop rear tailgate<br>-Factory skid plates (differential, transfer case, fuel tank)<br>-Dual exterior rear side view mirrors, low mounted, swing away type<br>-Front tow hooks, frame mounted<br>-Complete after factory rust proofing iwith five (5) year, unlimited mileage warranty                                                                 |
| 9.  | Bumpers         | -Heavy duty rear<br>-Front chrome, heavy duty with brush guard                                                                                                                                                                                                                                                                                                                      |
| 10. | Electrical      | -12 volt with alternator capable of charging battery at low engine speeds<br>-100 amps minimum<br>-600 amp battery, minimum                                                                                                                                                                                                                                                         |

- |     |              |               |                                                                                                                                                                                                                                                                                   |
|-----|--------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11. | Steering     |               | -Power or power assisted<br>-Front stabilizer bar                                                                                                                                                                                                                                 |
| 12. | Brakes       |               | -Powered or power assisted front disc.<br>-Powered or power assisted rear drum with anti-lock system                                                                                                                                                                              |
| 13. | Tires/Wheels |               | -P255/75R X 16 or larger<br>-Steel belted radial tire with black sidewalls<br>-On/Off road tire tread design<br>-Cast Aluminum wheels<br>-7 x 16 minimum size rim<br>-Full size spare tire mounted inside of carrier on vehicle<br>-Hydraulic jack or equivalent and wheel wrench |
| 14. | Axles        | Front<br>Rear | -Automatic locking hubs<br>-Locking or limited slip differential<br>-3.40 gear ration minimum                                                                                                                                                                                     |
| 15. | Suspension   |               | -Axles, springs, and shock absorbers must meet manufacturer's and Federal requirements for GAWR submitted, heavy duty, Nitrogen gas pressurized shock absorbers<br>-4,500 lbs. towing capacity                                                                                    |
| 16. | Color Paint  |               | -White clearcoat                                                                                                                                                                                                                                                                  |
| 17. | Others       |               | -Operators manual (2 copies)<br>-Shop manual<br>-Electrical Trouble-Shooting manual<br>-Locking gas cap<br>-Fuel (29.0) gallons, minimum<br>-Light package, under hood and cargo area<br>-Interior reading/map lights<br>-Three (3) year, 36,000 miles warranty                   |

Note: This vehicle will be used in extreme conditions for back-country travel. It is very import that all specifications be followed.

## MINIMUM SPECIFICATIONS

### Item 2 DNLR, Division of Aquatics Hawaii

#### SPORT WAGON, FULL SIZE (HEAVY DUTY), 4-WHEEL DRIVE

- |     |                 |                                                                                                                                                                                                                                                                                                                                           |
|-----|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | Model           | -Latest production of GMC Yukon LS,<br>Ford Expedition, Chevy Tahoe, or<br>equal, 4 door type                                                                                                                                                                                                                                             |
| 2.  | Type            | -4 Wheel Drive                                                                                                                                                                                                                                                                                                                            |
| 3.  | Wheelbase       | -111 inches minimum                                                                                                                                                                                                                                                                                                                       |
| 4.  | Engine          | -8 cylinders, 5.4 liter minimum<br>-Gasoline powered<br>-Factory heavy duty cooling system<br>-Heavy duty engine oil cooler                                                                                                                                                                                                               |
| 5.  | Transmission    | -Electronically controlled 4-speed<br>automatic                                                                                                                                                                                                                                                                                           |
| 6.  | Transfer Case   | -3 speed minimum                                                                                                                                                                                                                                                                                                                          |
| 7.  | Electrical      | -12 volt with alternator capable<br>of charging battery at low engine<br>speeds<br>-100 amps minimum                                                                                                                                                                                                                                      |
| 8.  | Steering        | -Power assisted<br>-Front stabilizer bar                                                                                                                                                                                                                                                                                                  |
| 9.  | Brakes          | -Powered assisted disc.                                                                                                                                                                                                                                                                                                                   |
| 10. | Tires/Wheels    | -31x10.5R-16, P265/75R X 16<br>minimum; on/off-road treads;<br>mounted on steel wheels;<br>full size spare mounted<br>on carrier on exterior of vehicle<br>-Jack and wheel wrench                                                                                                                                                         |
| 11. | Axles           | -To include automatic front locking<br>husband limited slip differential<br>on both front and rear axles;<br>3.55 axle ratio minimum                                                                                                                                                                                                      |
| 12. | Suspension      | -Factory heavy duty; towing package with<br>a 5,000 lb. weight carrying<br>capacity, 500 lb. Tongue weight                                                                                                                                                                                                                                |
| 13. | Body (Interior) | -Bucket or bench front seat(s);<br>fold down rear seat; upholstery of<br>manufacturer's standard vinyl<br>material; floor mats, front and<br>rear accessory type; defroster<br>front window; factory analog gauge<br>package; ETM AM/FM radio; air<br>conditioning, factory installed,<br>interior scheme to complement<br>exterior color |

- |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (Exterior) | <ul style="list-style-type: none"> <li>-4 Door</li> <li>-Standard front and rear bumpers</li> <li>-Factory skid plates</li> <li style="padding-left: 20px;">Dual exterior mirrors,</li> <li style="padding-left: 20px;">5"x7"minimum low mounted</li> <li>-Lift glass/drop gate rear door</li> <li>-Complete after factory rust proofing with five (5) year, unlimited mileage warranty</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                |
| 14. Color  | <ul style="list-style-type: none"> <li>-Factory buff or white, high gloss enamel</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 15. Others | <ul style="list-style-type: none"> <li>-Operators manual (2 copies)</li> <li>-Shop manual</li> <li>-Electrical Trouble-Shooting manual</li> <li>-Locking gas cap</li> <li>-Winch, 8,000 lb. minimum capacity, mounted inside front bumper-Trailer</li> <li>Package consisting of:             <ul style="list-style-type: none"> <li>-7 pin wire harness</li> <li>-Class III frame mounted hitch with two (2) inch ball and Hi-Lo ball hitch mount with maximum lift of 2-3/4" and maximum drop of 4"</li> <li>-Minimum 78 A.H. heavy duty battery</li> <li>-Super engine cooler</li> <li>-Auxiliary auto transmission oil cooler</li> <li>-Engine oil cooler</li> <li>-Heavy duty shock absorbers</li> <li>-Three (3) year, 36,000 miles warranty</li> <li>-Fuel tank (29 gallon) minimum</li> </ul> </li> </ul> |

Note: This vehicle will be used in extreme conditions for back-country travel. It is very important that all specifications be followed.



## MINIMUM SPECIFICATIONS

### Item 3 DNLR, DOCARE Hawaii

#### SPORT WAGON, FULL SIZE (HEAVY DUTY), 4-WHEEL DRIVE

1. Model -Latest production of Ford Expedition, Chevy Tahoe, Jeep Cherokee or equal
2. Type -4 Wheel Drive
3. G.V.W. Rating -6200 lb. Minimum capacity
4. Wheelbase -111 inches minimum
5. Engine -8 cylinders, 5.4 liter minimum  
-Gasoline powered  
-Factory heavy duty cooling system
6. Transmission -Automatic 4 speed overdrive minimum  
-Heavy duty transmission cooling system
7. Transfer Case -2 speed minimum, part time 4 wheel drive
8. Body (Interior)
  - Front bucket seats with center console
  - Full width rear folding bench seat
  - Manufactured standard upholstery of vinyl or cloth material
  - Floor mats rubber type front & rear
  - Factory gauge package with tachometer
  - AM/FM radio with digital clock
  - Factory tinted windows all around
  - Power windows and door locks
  - Tilt steering
  - Rear window wiper/washer with defroster
  - Auxiliary 12 volt power outlets
  - Factory air conditioning
- (Exterior)
  - 4 Door model
  - Lift glass drop rear tailgate
  - Factory skid plates (differential, transfer case, fuel tank)
  - Dual exterior rear side view mirrors, low mounted, swing away type
  - Front tow hooks, frame mounted
  - Complete after factory rust proofing with five (5) year, unlimited mileage warranty
10. Bumpers -Heavy duty rear  
-Front chrome, heavy duty with brush guard
11. Electrical -12 volt with alternator capable of charging battery at low engine speeds  
-100 amps minimum  
-600 amp battery, minimum

- |     |              |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----|--------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12. | Steering     |               | -Power or power assisted<br>-Front stabilizer bar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 13. | Brakes       |               | -Powered or power assisted front disc.<br>-Powered or power assisted rear drum with anti-lock system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 14. | Tires/Wheels |               | -P255/75R X 16 or larger<br>-Steel belted radial tire with black sidewalls<br>-On/Off road tire tread design<br>-Cast Aluminum wheels<br>-7 x 16 minimum size rim<br>-Full size spare tire mounted inside of carrier on vehicle<br>-Hydraulic jack or equivalent and wheel wrench                                                                                                                                                                                                                                                                                                                                                                                                |
| 15. | Axles        | Front<br>Rear | -Automatic locking hubs<br>-Locking or limited slip differential<br>-3.40 gear ration minimum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 16. | Suspension   |               | -Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements for GAWR submitted, heavy duty, Nitrogen gas pressurized shock absorbers<br>-4,500 lbs. towing capacity                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 17. | Color Paint  |               | -White clearcoat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 18. | Others       |               | -Operators manual (2 copies)<br>-Shop manual<br>-Electrical Trouble-Shooting manual<br>-Locking gas cap<br>-Fuel (29.0) gallons, minimum<br>-Light package, under hood and cargo area<br>-Interior reading/map lights<br>-Trailer Package consisting of:<br>-7 pin wire harness<br>-Class III frame mounted hitch with 2-5/16 inch ball and Hi-Lo ball hitch mount with maximum lift of 2-3/4" and maximum drop of 4"<br>-Heavy duty battery<br>-Super engine cooler<br>-Auxiliary auto transmission oil cooler<br>-Engine oil cooler<br>-Heavy duty shock absorbers<br><br>-Three (3) year, 36,000 miles warranty<br><br>-Winch, 6,000 lbs. Minimum, front mounted after market |

## MINIMUM SPECIFICATIONS

### Item 4 DNLR, STATE PARKS Hawaii

SPORT WAGON, FULL SIZE, 4-WHEEL DRIVE, 4-DOOR

- |     |                 |               |                                                                                                                                                                                                                                                                                                           |
|-----|-----------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | Model           |               | -Latest production of Chevrolet Suburban or equal                                                                                                                                                                                                                                                         |
| 2.  | GVW Rating      |               | -8,600 lbs. Capacity                                                                                                                                                                                                                                                                                      |
| 3.  | Type            |               | -4 Wheel Drive                                                                                                                                                                                                                                                                                            |
| 4.  | Wheelbase       |               | -129 inches minimum                                                                                                                                                                                                                                                                                       |
| 5.  | Engine          |               | -8 cylinders<br>-5.4 liter minimum<br>-Gasoline powered<br>-Factory heavy duty cooling system<br>-Coolant recovery system                                                                                                                                                                                 |
| 6.  | Transmission    |               | -4 speed automatic overdrive minimum                                                                                                                                                                                                                                                                      |
| 7.  | Transfer Case   |               | -2 speed minimum, part time 4 wheel drive                                                                                                                                                                                                                                                                 |
| 8.  | Electrical      |               | -12 volt with alternator capable of charging battery engine speed                                                                                                                                                                                                                                         |
| 9.  | Steering        |               | -Power or power assisted<br>-Front stabilizer bar                                                                                                                                                                                                                                                         |
| 10. | Brakes          |               | -Powered or power assisted                                                                                                                                                                                                                                                                                |
| 11. | Tires/Wheels    |               | -P235/75R X 15 minimum; on-off highway treads; mounted on compatible wheels<br>-Full size spare tire mounted on carrier inside vehicle<br>-Hydraulic jack and wheel wrench                                                                                                                                |
| 12. | Axles           | Front<br>Rear | -To include manual locking hubs<br>-To include locking or limited slip differential                                                                                                                                                                                                                       |
| 13. | Shock Absorbers |               | -Factory Heavy duty                                                                                                                                                                                                                                                                                       |
| 14. | Body (Interior) |               | -7-passenger capacity<br>-Bucket or bench front seat(s)<br>-fold down bench rear seats<br>-Standard vinyl upholstery<br>-Floor mats, front & rear, accessory type<br>-Defroster, front window<br>-Factory gauge package<br>-AM/FM radio, factory installed<br>-Installed air conditioning factory package |

- |     |             |                                                                                                                                                                                                                                                                                                                                                                  |
|-----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     | (Exterior)  | <ul style="list-style-type: none"> <li>-4 Door model</li> <li>-Standard front and rear bumpers</li> <li>-Factory skid plates</li> <li>-Dual exterior rear view mirrors, 5"x7"minimum, low mounted</li> <li>-Dual panel rear doors or fold down tailgate</li> <li>-Complete after factory rust proofing with five (5) year, unlimited mileage warranty</li> </ul> |
| 15. | Color Paint | -White, manufacturer's standard color                                                                                                                                                                                                                                                                                                                            |
| 18. | Others      | <ul style="list-style-type: none"> <li>-Operators manual (2 copies)</li> <li>-Shop manual</li> <li>-Electrical Trouble-Shooting manual</li> <li>-Locking gas cap</li> <li>-2-1/2 lb. ABC dry chemical fire extinguisher mounted on removable brackets within cab</li> <li>-Three (3) year, 36,000 miles warranty</li> </ul>                                      |

## MINIMUM SPECIFICATIONS

Item 5  
DNLR, DOCARE  
MAUI

### SPORT WAGON, FULL SIZE, 4-DOOR, 4-WHEEL DRIVE

1. Model
  - Latest production of GMC Yukon
  - LS, Ford Expedition, Chevy Tahoe,
  - or equal
2. Wheelbase
  - 117 inches minimum
3. Ground Clearance
  - Front-9.5 inches; Rear-8.0 minimum
4. Engine
  - V-8 cylinders, gasoline powered
  - 5.4 liters/cu in-minimum
  - 235 horsepower minimum
  - Heavy duty, radiator, air cleaner
  - system, engine oil cooler
5. Transmission
  - 4 speed automatic
  - 2 speed liters/cu in-minimum
  - Part time 4 wheel drive
  - Heavy duty transmission cooler
6. Steering
  - Power assisted
7. Brakes
  - Power-power assisted
  - 4-wheel ABS
8. 4WD System
  - Push button type 4-wheel drive
  - activation
  - Automatic front locking hubs
  - To include-heavy duty, "Off Road"
  - suspension package
  - Protective "Skid Plates" for
  - differentials and transmission
9. Wheels
  - 4x4 type 16 inches minimum diameter
  - to provide better ground clearance.
  - Spare tire-full size, mounted under
  - body with jack and wrench
10. Exterior
  - Color-white, high gloss enamel,
  - manufacturer's application
  - Dual mirrors-outside below-eyeline
  - type
  - Factory tinted glass, all windows
  - (deep tinting on rear, side and
  - back window)
  - Rear door-tailgate with lift-glass
  - Bumper-Heavy duty front and rear;
  - rear bumpers with black rubber step
  - pads
  - Complete after factory rust
  - proofing with five (5) year,
  - unlimited mileage warranty

- |     |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11. | Winch      | <ul style="list-style-type: none"> <li>-Front mounted electric winch; 6,000 lb. Capacity, or equal with combo mounting system; 80 "of 5/16" galvanized aircraft cable with hook; roller fair laid remote control on 12' lead, clutch, battery cables</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 12. | Electrical | <ul style="list-style-type: none"> <li>-12 volt with alternator capable of charging battery at low engine speeds</li> <li>-100 amps minimum</li> <li>-600 amp battery, minimum</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 13. | Interior   | <ul style="list-style-type: none"> <li>-5 passenger seating capacity</li> <li>-Air conditioning-CFC free</li> <li>-AM/FM radio</li> <li>-Air bags-driver and right front passenger</li> <li>-Standard vinyl upholstery-dark brown color</li> <li>-Floor covering-full embossed black rubber mat or carpet</li> <li>-Head liner-full length, color, keyed, cloth</li> <li>-Power door locks and window system</li> <li>-Rear window wiper/washer/defogger system</li> <li>-High back support bucket seats with center console</li> <li>-Rear bench seat-forward reclining or similar</li> </ul>                                                                                                                        |
| 14. | Others     | <ul style="list-style-type: none"> <li>-Operators manual (2 copies)</li> <li>-Shop manual</li> <li>-Electrical Trouble-Shooting manual</li> <li>-Locking gas cap</li> <li>-Fuel tank, 29 gal. minimum</li> <li>-Trailer Package consisting of:               <ul style="list-style-type: none"> <li>-7 pin wire harness</li> <li>-Class III frame mounted hitch with 1-7/8 inch ball and Hi-Lo ball hitch mount with maximum lift of 2-3/4"and maximum drop of 4"</li> <li>-Heavy duty battery</li> <li>-Super engine cooler</li> <li>-Auxiliary auto transmission oil cooler</li> <li>-Engine oil cooler</li> <li>-Heavy duty shock absorbers</li> <li>-Three (3) year, 36,000 miles warranty</li> </ul> </li> </ul> |

## MINIMUM SPECIFICATIONS

**Item 6**  
**DNLR, Land Division**  
**KAUAI**

SPORT WAGON, FULL SIZE (HEAVY DUTY), 4-WHEEL DRIVE

- |     |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | Model           | -Latest production of Ford Expedition, Chevy Tahoe, Jeep Cherokee or equal                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 2.  | Type            | -4 Wheel Drive                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 3.  | G.V.W. Rating   | -6200 lb. Minimum capacity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 4.  | Wheelbase       | -111 inches minimum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 5.  | Engine          | -8 cylinders, 5.4 liter minimum<br>-Gasoline powered<br>-Factory heavy duty cooling system                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 6.  | Transmission    | -Automatic 4 speed overdrive minimum<br>-Heavy duty transmission cooling system                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 7.  | Transfer Case   | -2 speed minimum, part time 4 wheel drive                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 8.  | Body (Interior) | -Front bucket seats with center console<br>-Full width rear folding bench seat<br>-Manufactured standard upholstery of vinyl material<br>-Floor mats rubber type front & rear<br>-Factory gauge package with tachometer<br>-AM/FM radio with digital clock<br>-Deepest Factory tinted windows all around<br>-Power windows and door locks<br>-Tilt steering<br>-Rear window wiper/washer with defroster<br>-Auxiliary 12 volt power outlets<br>-Factory air conditioning, CFC Free<br>-Air bags, driver and right front passenger |
|     | (Exterior)      | -4 Door model<br>-Panel Type, split two doors<br>-Factory skid plates (differential, transfer case, fuel tank)<br>-Dual exterior rear side view mirrors, low mounted, swing away type<br>-Front tow hooks, frame mounted<br>-Complete after factory rust proofing with five (5) year, unlimited mileage warranty                                                                                                                                                                                                                  |
| 10. | Bumpers         | -Heavy duty rear<br>-Front chrome, heavy duty with brush guard                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

- |     |              |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----|--------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11. | Electrical   |               | <ul style="list-style-type: none"> <li>-12 volt with alternator capable of charging battery at low engine speeds</li> <li>-100 amps minimum</li> <li>-650 amp battery, minimum</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 12. | Steering     |               | <ul style="list-style-type: none"> <li>-Power or power assisted</li> <li>-Front stabilizer bar</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 13. | Brakes       |               | <ul style="list-style-type: none"> <li>-Powered or power assisted front disc.</li> <li>-Powered or power assisted rear drum with anti-lock system</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 14. | Tires/Wheels |               | <ul style="list-style-type: none"> <li>-P255/75R X 16 or larger</li> <li>-Steel belted radial tire with black sidewalls</li> <li>-On/Off road tire tread design</li> <li>-Cast Aluminum rims</li> <li>-7 x 16 minimum size rim</li> <li>-Full size spare tire mounted on carrier on vehicle</li> <li>-Hydraulic jack or equivalent and wheel wrench</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 15. | Axles        | Front<br>Rear | <ul style="list-style-type: none"> <li>-Automatic locking hubs</li> <li>-Locking or limited slip differential</li> <li>-3.40 gear ration minimum</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 16. | Suspension   |               | <ul style="list-style-type: none"> <li>-Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements for GAWR submitted, heavy duty, Nitrogen gas pressurized shock absorbers</li> <li>-4,500 lbs. towing capacity</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 17. | Color Paint  |               | <ul style="list-style-type: none"> <li>-White clearcoat</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 18. | Others       |               | <ul style="list-style-type: none"> <li>-Operators manual (2 copies)</li> <li>-Shop manual</li> <li>-Electrical Trouble-Shooting manual</li> <li>-Locking gas cap</li> <li>-Fuel (29.0) gallons, minimum</li> <li>-Light package, under hood and cargo area</li> <li>-Interior reading/map lights</li> <li>-Trailer Package consisting of:               <ul style="list-style-type: none"> <li>-7 pin wire harness</li> <li>-Class III frame mounted hitch with two (2) inch ball and Hi-Lo ball hitch mount with of maximum lift of 2-3/4" and maximum drop of 4"</li> <li>-Heavy duty battery</li> <li>-Super engine cooler</li> <li>-Auxiliary auto transmission oil cooler</li> <li>-Engine oil cooler</li> <li>-Heavy duty shock absorbers</li> </ul> </li> <li>-Three (3) year, 36,000 miles warranty</li> <li>-Winch, 8,000 lbs. Minimum, front mounted after market</li> </ul> |



## MINIMUM SPECIFICATIONS

Item 7  
DNLR, Land Division  
OAHU

### COMPACT SPORT UTILITY, 4-DOOR, 4-WHEEL DRIVE (5-PASSENGER)

1. Model
  - Latest production of Chevrolet S-10 Blazer, Ford Explorer, GMC Jimmy, Isuzu Rodeo, Jeep Cherokee, Nissan Pathfinder, Toyota 4-Runner or equal
2. Wheelbase
  - 101 inches minimum
  - 112 inches maximum
3. Engine
  - 6 cylinder, gasoline powered
  - 3.0 liter minimum
  - 150 horsepower minimum
4. Transmission
  - 4 speed automatic
  - 2 speed transfer case
  - Part-time 4-wheel drive
5. Steering
  - Power or power assisted
6. Brakes
  - Power or power assisted
  - Front disc minimum
  - Rear anti-lock
7. Wheels
  - 15 inch minimum Radial tires
  - Full size spare tire
  - Jack and wheel wrench
8. Interior
  - 5 Passenger seating capacity
  - Air conditioning
  - AM/FM radio
  - Dual/Front Air Bags (SRS)
  - Front and Rear Floor Mats
  - Standard Vinyl or Cloth Upholstery
9. Exterior
  - White, Manufacturer's Standard Color
  - Dual outside mirrors
  - Factory tinted glass all windows
  - Rear window wiper washer
10. Other
  - Operators manual (2 copies)
  - Shop manual
  - Electrical Trouble-Shooting manual
  - Three (3) year/36,000 miles warranty

## MINIMUM SPECIFICATIONS

**ITEM 8**  
**DNLR, DOCARE**  
**OAHU**

COMPACT SPORT UTILITY, 4-DOOR, 4-WHEEL DRIVE (5-PASSENGER)

- |     |                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | Model           | -Latest production of Ford Expedition, Chevy Tahoe, Jeep Cherokee or equal                                                                                                                                                                                                                                                                                                                                                                                    |
| 2.  | Type            | -4 Wheel Drive                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 3.  | G.V.W. Rating   | -6200 lb. Minimum capacity                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 4.  | Wheelbase       | -111 inches minimum                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 5.  | Engine          | -8 cylinders, 5.4 liter minimum<br>-Gasoline powered<br>-Factory heavy duty cooling system                                                                                                                                                                                                                                                                                                                                                                    |
| 6.  | Transmission    | -Automatic 4 speed overdrive minimum<br>-Heavy duty transmission cooling system                                                                                                                                                                                                                                                                                                                                                                               |
| 7.  | Transfer Case   | -2 speed minimum, part time 4 wheel drive                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 8.  | Body (Interior) | -Front bucket seats with center console<br>-Full width rear folding bench seat<br>-Manufactured standard upholstery of vinyl material<br>-Floor mats rubber type front & rear<br>-Factory gauge package with tachometer<br>-AM/FM radio with digital clock<br>-Deep tinted windows all around<br>-Power windows and door locks<br>-Tilt steering<br>-Rear window wiper/washer with defroster<br>-Auxiliary 12 volt power outlets<br>-Factory air conditioning |
|     | (Exterior)      | -4 Door model<br>-Lift glass drop rear tailgate<br>-Factory skid plates (differential, transfer case, fuel tank)<br>-Dual exterior rear side view mirrors, low mounted, swing away type<br>-Front tow hooks, frame mounted<br>-Complete after factory rust proofing with five (5) year, unlimited mileage warranty                                                                                                                                            |
| 10. | Bumpers         | -Heavy duty rear<br>-Front chrome, heavy duty with brush guard                                                                                                                                                                                                                                                                                                                                                                                                |
| 11. | Electrical      | -12 volt with alternator capable of charging battery at low engine speeds<br>-100 amps minimum<br>-650 amp battery, minimum                                                                                                                                                                                                                                                                                                                                   |

- |     |              |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|--------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12. | Steering     |               | <ul style="list-style-type: none"> <li>-Power or power assisted</li> <li>-Front stabilizer bar</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 13. | Brakes       |               | <ul style="list-style-type: none"> <li>-Powered or power assisted front disc.</li> <li>-Powered or power assisted rear drum with anti-lock system</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 14. | Tires/Wheels |               | <ul style="list-style-type: none"> <li>-P255/75R X 16 or larger</li> <li>-Steel belted radial tire with black sidewalls</li> <li>-On/Off road tire tread design</li> <li>-Cast Aluminum wheels</li> <li>-7 x 16 minimum size rim</li> <li>-Full size spare tire mounted on carrier on vehicle</li> <li>-Hydraulic jack or equivalent and wheel wrench</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 15. | Axles        | Front<br>Rear | <ul style="list-style-type: none"> <li>-Automatic locking hubs</li> <li>-Locking or limited slip differential</li> <li>-3.40 gear ration minimum</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 16. | Suspension   |               | <ul style="list-style-type: none"> <li>-Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements for GAWR submitted, heavy duty, Nitrogen gas pressurized shock absorbers</li> <li>-4,500 lbs. towing capacity</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 17. | Color Paint  |               | <ul style="list-style-type: none"> <li>-White clearcoat</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 18. | Others       |               | <ul style="list-style-type: none"> <li>-Operators manual (2 copies)</li> <li>-Shop manual</li> <li>-Electrical Trouble-Shooting manual</li> <li>-Locking gas cap</li> <li>-Fuel (29.0) gallons, minimum</li> <li>-Light package, under hood and cargo area</li> <li>-Interior reading/map lights</li> <li>-Trailer Package consisting of:               <ul style="list-style-type: none"> <li>-7 pin wire harness</li> <li>-Class III frame mounted hitch with two (2) inch ball and Hi-Lo ball hitch mount with maximum lift of 2-3/4" and maximum drop of 4"</li> <li>-Heavy duty battery</li> <li>-Super engine cooler</li> <li>-Auxiliary auto transmission oil cooler</li> <li>-Engine oil cooler</li> <li>-Heavy duty shock absorbers</li> <li>-Three (3) year, 36,000 miles warranty</li> <li>-Winch, 6,000 lbs. Minimum, front mounted after market</li> </ul> </li> </ul> |

## MINIMUM SPECIFICATIONS

Item 9  
DNLR, DOCARE  
OAHU

### COMPACT SPORT UTILITY, 4-DOOR, 4-WHEEL DRIVE (5-PASSENGER)

1. Model
  - Latest production of Chevrolet S-10 Blazer, Ford Explorer, GMC Jimmy, Isuzu Rodeo, Jeep Cherokee, Nissan Pathfinder, Toyota 4-Runner or equal
2. Wheelbase
  - 101 inches minimum
  - 112 inches maximum
3. Engine
  - 6 cylinder, gasoline powered
  - 3.0 liter minimum
  - 150 horsepower minimum
4. Transmission
  - 4 speed automatic
  - 2 speed transfer case
  - Part-time 4-wheel drive
5. Steering
  - Power or power assisted
6. Brakes
  - Power or power assisted
  - Front disc minimum
  - Rear anti-lock
7. Wheels
  - 15 inch minimum Radial tires
  - Full size spare tire
  - Jack and wheel wrench
8. Interior
  - 5 Passenger seating capacity
  - Air conditioning
  - AM/FM radio
  - Dual/Front Air Bags (SRS)
  - Front and Rear Floor Mats
  - Standard Vinyl or Cloth Upholstery
9. Exterior
  - White, Manufacturer's Standard Color
  - Dual outside mirrors
  - Factory tinted glass all windows
  - Rear window wiper washer
10. Other
  - Operators manual (2 copies)
  - Shop manual
  - Electrical Trouble-Shooting manual
  - Three (3) year/36,000 miles warranty

## **SPECIAL PROVISIONS**

### **SCOPE**

The furnishing and delivering of various Sports Wagons and Compact Sports Utility vehicles specified shall be subject to the Specifications, these Special Provisions and the General Terms and Conditions dated September 1, 1995 and included by reference. Copies of the General Terms and Conditions are available at the State Procurement Office, Room 416, 1151 Punchbowl Street, Honolulu, Hawaii 96813, the DAGS District Offices on Hawaii, Kauai and Maui, and on the Internet at <http://www.state.hi.us>.

### **BIDDER QUALIFICATION**

Service Facility. At the time of bidding, bidder shall have an established place of business with reasonable inventory of replacement parts and shop facility for repairing and servicing the vehicles and any accessories offered. Such facility shall be located on the islands of Hawaii, Kauai, Maui and Oahu as applicable.

If bidder does not have a facility on the applicable island where the vehicle will be serviced, he shall arrange with a company on the island to provide the State with repair services, and shall furnish the name and address of this facility in the space provided on the Offer Form. The State reserves the right to inspect bidder's repair and service shop to determine acceptability under this requirement. Failure on the part of the bidder to meet this requirement shall result in rejection of bid.

State License. Chapter 437, HRS, as amended, provides for regulating and licensing of motor vehicle manufacturers and distributors and their branches and representatives, motor vehicle dealers, salesmen, auctions and auctioneers and any other persons engaged in the business of selling or purchasing motor vehicles in the State of Hawaii. Therefore, all prospective bidders who are interested in selling vehicles to the State of Hawaii shall provide proof that they do meet and satisfy the licensing requirement set forth in said statute by listing the license number in the space provided on the Offer Form.

Chapter 437-2(e) provides that, notwithstanding any provisions of Chapter 437, the authority of any State agency to purchase motor vehicles for State use from any dealer licensed under this chapter shall not be limited or conditioned. Any dealer licensed under this chapter may sell vehicles to any State agency notwithstanding section 437-2(b).

"Motor vehicle" includes any vehicle, motor vehicle, or truck, as defined in Sections 249-1 and 249-2, HRS, as amended, except for tractors, trailers and amphibious vehicles.

### **BID PREPARATION**

Offeror Form, Page OF-1. Offeror is requested to submit its offer using offeror's exact legal name as registered with the Department of Commerce and Consumer Affairs, if applicable; and to indicate exact legal name in the appropriate space on Offer Form, page OF-1. Failure to do so may delay proper execution of the contract.

Offeror's authorized signature shall be an original signature in ink. If Offer Form, page OF-2, is unsigned or the affixed signature is a facsimile or a photocopy, the offer shall be automatically rejected unless accompanied by other material, containing an original signature, indicating the offeror's intent to be bound.

Tax Liability. Unless the Hawaii Revised Statutes (HRS) exempts a person from paying the applicable general excise tax, work to be performed under this solicitation is a business activity taxable under Chapter 237, HRS and Chapter 238, HRS, where applicable. Both out-of-state vendors and Hawaii vendors are advised that the gross receipts derived from this solicitation are subject to the general excise tax imposed by Chapter 237, HRS, at the current rate of 4%, and where applicable to tangible property imported into the State of Hawaii for resale, subject to the 1/2% use tax imposed by Chapter 238, HRS.

The "State of Hawaii Information of Hawaii State Taxes Administered by the Department of Taxation", Publication 1 (November 1993) is included herein by reference and available in the State Procurement Office, 1151 Punchbowl Street, Room 416, Honolulu, Hawaii 96813, upon request.

Pursuant to Section 103-53.5, HRS, where the offeror is exempted from paying the applicable general excise tax, the price package offered, for the purpose of determining the lowest price bid, shall be increased by the applicable retail rate of general excise tax (4%) and the applicable use tax (1/2%). The lowest responsible offeror, taking into consideration the above increases, shall be awarded the contract, but the contract amount of any contract awarded shall be the amount of the bid offered and shall not include the amount of the increase(s).

Bid Price. Bid price quoted shall be based on delivery to destination and shall include all other costs and applicable taxes. Bid shall also include, when applicable, cost for installation of accessories, modifications of unit and instructional training in the use of the accessory equipment and vehicle. Offeror need not bid on all items.

Tax Clearance. An **original or certified copy** of a tax clearance certificate issued by the Hawaii State Department of Taxation (DOTAX) and the Internal Revenue Service (IRS) must be submitted with offeror's sealed offer by the due date and time.

The tax clearances from DOTAX and IRS shall be obtained on the attached one-page, two-sided **Tax Clearance Application (Form A-6, Rev.1998)** which is accompanied by Instructions that offerors should carefully read. Effective March 1, 1998, only this revised Form A-6 will be accepted by DOTAX and IRS.

Out-of-state offerors should mail their application to DOTAX's Oahu District Office.

Effective 12/1/97 tax clearance certificates are valid for a **six-month** (not 180 day) period beginning on the later dated DOTAX or IRS approval stamp. For example, a 12/15/97 certificate is valid through 6/15/97.

The tax clearance submitted with the sealed offer must be valid on the solicitation's legal ad date or any date thereafter up to the offer due date. A valid tax clearance received with the offer will remain valid for the contract award.

For the purpose of this solicitation the State Procurement Office will accept the attached completed SPO Form TEMP B, "Certification for Tax Clearance" in place of the DOTAX Form A-6 (Rev.1998), if offeror is unable to obtain a tax clearance certificate in time for submittal with the sealed offer. However, the successful offeror is required to submit a tax clearance certificate prior to award.

NOTE: The above tax clearance requirement is in addition to the existing requirement for final payment. Refer to the special provisions on INVOICING below for information on the tax clearance requirement for final payment.

Make, Model and Other Information. Bidder must identify on the offer the year of manufacture, the exact manufacturer name and make and model number of vehicles offered. Failure to do so or the inclusion of remarks such as "as specified" shall be sufficient grounds for rejection of bid.

If additional space is needed to provide complete product identification, bidder may attach a separate sheet to the bid for that purpose. No bidder will be allowed to clarify product identification after bid opening. This is to assure that all bids are submitted under the same conditions with no opportunity for one bidder to have an advantage over any other bidder after exposure of offers. Failure to offer equipment as specified may result in rejection of bid.

Brochures and Specifications Literature. Unless previously submitted to the State Procurement Office, the bidder shall submit with the bid, current brochures and/or specifications literature. Upon request, bidder shall furnish at his own expense and within five working days from date of State's request, any further information required to determine acceptability of vehicle or accessory equipment offered.

Offer Guaranty. Bid security deposit is not required for this bid.

#### **BID EVALUATION**

Bid price for vehicle with established EPA mileage ratings as listed in the US Dept. of Energy's Fuel Economy Guide, Model year 1998 shall be evaluated using the following formula:

Evaluated Bid Price =  $\frac{70,000}{\text{City EPA Mileage Rating}}$  x \$1.40 + Total Bid Price  
(neighbor Islands)

Evaluated Bid Price =  $\frac{60,000}{\text{City EPA Mileage Rating}}$  x \$1.40 + Total Bid Price  
(Oahu)

In order to determine the exact EPA mileage rating, bidders must furnish the following information on the offer:

- a. manufacturer's name and model number
- b. transmission type: A, M or L
- c. number of speeds.
- d. engine size: number of liters & cylinders

If the EPA milage rating cannot be determined using the 1998 Department of Energy's Fuel Economy Guide for all vehicle offers for the respective item number(s), the bid evaluation will be based on Total Bid Price or Net Total Bid Price only.

#### **METHOD OF AWARD**

Award, if any, shall be made on an individual item number basis to the responsive, responsible bidder submitting the lowest Total Bid Price, Total Net Bid Price, if applicable, or Evaluated Bid Price, if applicable(see "Bid Evaluation") for each item.

#### **CONTRACT EXECUTION**

For contract award totaling \$25,000 or more, the State shall forward a formal contract to the successful bidder for execution. The contract shall be executed by the Contractor and returned within ten (10) days in accordance with Section 3.3 of the General Terms and Conditions. No performance or payment bond shall be required for this contract.

No work is to be undertaken by the Contractor prior to the commencement date specified on the Notice to Proceed. The State of Hawaii is not liable for any work, contract, costs, expenses, loss of profits, or any damages whatsoever incurred by the Contractor prior to official starting date.

#### **QUALITY OF EQUIPMENT**

All vehicles furnished shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicles furnished shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and New Motor Vehicle Engines, Environmental Protection Agency.

New vehicles furnished under this provision shall be new and of the best quality of its respective kind, and shall be completely assembled and free from defects which may render them unfit for use. No payment, whether partial or final, shall be construed to be an acceptance of defective work.

The State may, at any time and by written order, stop delivery of any vehicle not conforming to these specifications. Such stop order shall not relieve the Contractor of his obligation to complete his contract within the contract time limits nor shall it in any way terminate, cancel or abrogate the contract or any part thereof.



## **DELIVERY**

Vehicle furnished under these specifications shall be delivered to the location listed on the Offer Form page OF-2 within one hundred twenty (120) calendar days of the official commencement date on the Notice To Proceed. Representatives of both the Contractor and State shall be present at the delivery site for purposes of visual inspection, acceptance, and, if necessary, for instruction in use of equipment.

Prior to delivery, Contractor must contact the State representative listed to coordinate delivery arrangements.

## **CERTIFICATES REQUIRED**

- a. Hawaii Safety Inspection Certificate (in duplicate) and ~~deal~~;
- b. Application for Registration of Passenger Carrying Motor Vehicle, Form #DF-L-1 (Rev. 1/84) or its latest revision;
- c. Odometer Certificate;
- d. Notarized Certificate of Bill of Sale (not required for Oahu dealerships);

These certificates are essential for the proper registration and licensing of used and new vehicles. Therefore, acceptance of and payment for the vehicle delivered will not be made without submittal of necessary certificates. The agency shall be responsible for registering and licensing of this vehicle; this procedure shall be conducted in the County where the vehicle is delivered.

Contractor shall provide temporary license plates to be used during the interim period prior to acquisition of State of Hawaii license plates.

## **LIQUIDATED DAMAGES**

Refer to Section 6.12 of the General Terms and Conditions. Liquidated damages is fixed at the sum of TEN DOLLARS (\$10.00) for each and every day the Contractor delays in the completion of any item of his contract after the required date of said completion.

## **DELIVERY EXTENSION**

Contractor shall complete delivery within one hundred twenty (120) calendar days from the official commencement date on the Notice to Proceed as noted in the DELIVERY provision. If Contractor fails to deliver within the time allowed, liquidated damages as specified herein shall apply. However, Contractor will not be held responsible for delays due to reasons beyond his control, provided he submits written notification of such delays prior to the delivery deadline. This notification shall be submitted to the Procurement Officer and shall detail the reasons for the delays and shall include appropriate documentation. No delivery extension will be considered without proper documentation.

## **INVOICING**

Contractor shall submit original and three copies of the invoice to the agency listed on the Offer Form page OF-3.

Invoice should reference both the contract number and the Invitation For Bids number.

A tax clearance certificate must accompany the invoice for final payment and shall be an original or certified copy, not over two-months old.

#### PAYMENT

Section 103-10, Hawaii Revised Statutes (HRS), provides that the State shall have thirty (30) calendar days after receipt of invoice or satisfactory delivery of goods to make payment. For this reason, the State will reject any bid submitted with a condition requiring payment within a shorter period. Further, the State will reject any bid submitted with a condition requiring interest payments greater than that allowed by Section 103-10, HRS, as amended.

The State will not recognize any requirement established by the Contractor and communicated to the State after award of the contract, which requires payment within a shorter period or interest payment not in conformance with statute.

#### WARRANTY

Contractor shall provide all warranties for this new vehicle as noted on General Specifications, page SP-1.

#### ADDITIONS AND EXCEPTIONS TO THE GENERAL TERMS AND CONDITIONS

Approvals. Any agreement arising out of this offer is subject to the approval of the Department of the Attorney General as to form, and to all further approvals, including the approval of the Governor, required by statute, regulation, rule, order, or other directive.

Cancellation of Solicitations and Rejection of Offers. The solicitation may be cancelled or the offers may be rejected, in whole or in part, when in the best interest of the purchasing agency, as provided in Sections 3-122-95 through 3-122-97, Hawaii Administrative Rules.

Provisions from the General Terms and Conditions Not Applicable. Sections 2.11 and 2.14 of the General Terms and Conditions which apply specifically to the Request for Proposals method of source selection are not applicable to Invitation for Bids. Also Sections 2.10 and 2.13 which apply specifically to the Invitation for Bids method of source selection are not applicable to Requests for Proposals.

Records Retention. The Contractor and any subcontractors shall maintain the books and records that relate to the Agreement and any cost or pricing data for three (3) years from the date of final payment under the Agreement.

Preparation of Offer. General Terms and Conditions Section 2.5, paragraph four, is rescinded and replaced with the following:

"An offeror may submit only one offer in response to a solicitation. If an offeror submits more than one offer in response to a solicitation, then all such offers shall be rejected.

Similarly, an offeror may submit only one offer for each line item (if any) of a solicitation. If an offeror submits more than one offer per line item, then all offers for that line item shall be rejected."

Preference for Hawaii Products. General Terms and Conditions Section 3.1(B), paragraphs one and two only are rescinded and replaced with the following: "A purchasing agency shall review all specifications in a bid or proposal for purchase from the Hawaii products list where these products are available; provided that the products: Meet the minimum specifications and the selling price f.o.b. jobsite; unloaded, including applicable general excise tax and use tax, does not exceed the lowest delivered price in Hawaii f.o.b. jobsite; and unloaded, including applicable general excise tax and use tax, does not exceed the lowest delivered price of a similar non-Hawaii product by more than: three per cent where class I Hawaii products are involved; five per cent where class II Hawaii products are involved; or ten per cent where class III Hawaii products are involved.

All persons submitting bids or proposals to claim Hawaii products preference shall designate in their bids which individual product and its price is to be supplied as a Hawaii product.

Where a bid or proposal contains both Hawaii and non-Hawaii products, then for the purpose of selecting the lowest bid or purchase price only, the price bid or offered for a Hawaii product item shall be decreased by subtracting therefrom: three per cent, five per cent, or ten per cent for the class I, class II, or class III Hawaii product items bid or offered, respectively. The lowest total bid or proposal, taking the preference into consideration, shall be awarded the contract unless the bid or offer provides for additional award criteria. The contract amount of any contract awarded, however, shall be the amount of the bid or price offered, exclusive of the preferences."

Printing Preference. General Terms and Conditions Section 3.1(C), paragraphs one and two are rescinded and replaced with the following: "All bids or proposals submitted for a printing, binding, or stationery contract in which all work will be performed in-state, including all preparatory work, presswork, bindery work, and any other production-related work shall received a fifteen per cent preference for purposes of bid or proposal evaluation.

Where bids or proposals are for work performed in-state and out-of-state, then for the purpose of selecting the lowest bid or evaluating proposals submitted only, the amount bid or proposed for work performed out-of-state shall be increased by fifteen per cent. The lowest total offer, taking the preference into consideration, shall be awarded the contract unless the solicitation provides for additional award criteria. The contract amount awarded, however, shall be the amount of the price offered, exclusive of the preference."

Bond Forms. The bond forms, Exhibits B through H, are replaced by the forms issued by the Procurement Policy Board Directive No. 1997-01, dated November 12, 1997, included herein by reference and made a part hereof. Copies of the bond forms are available at the State Procurement Office, 1151 Punchbowl Street, Room 416, Honolulu, Hawaii 96813.